

承認書

SPECIFICATION FOR APPROVAL

CUSTOMER : R.C.S (烏克蘭)
MODEL NAME : LINE FILLTER
CUSTOMER P/N : ET28-02
L.T.E. PARTNO. : E03-09281736-02
DATE : 2010.10.27

核 準 APPROVED	校 對 CHECKED	承 辦 ISSUED
		


客 戶 承 認 FOR CUSTOMER APPROVAL	
簽 名 SIGNATURE	日 期 DATE




力英電子股份有限公司
Li Tone Electronics (L.T.E.) Co., Ltd
臺北縣三峽鎮介壽路1段311巷29號
No.29, Lane 311, Sec 1, JieSou Rd.
Sanhsia, Taipei, Taiwan 237
<http://www.LTE.com.tw>

TEL:+886-2-2673-2512
FAX:+886-2-2671-0294
+886-2-2671-9331
+886-2-8671-3701

1.SCHEMATICS.



2.WINDING SEQUENCE.



CUSTOMER: R.C.S (烏克蘭)

CUSTOMER ISSUE: A

APPROVED BY: 劉 珍

PART NO. ET28-02

LTE ISSUE: 0.0

CHECKED BY: 羅 芳



DATE: 2010-10-27

PAGE: 1/3

DRAWN BY: 夏思平

力英電子股份有限公司
 LI TONE ELECTRONICS CO., LTD.
 臺北縣三峽鎮介壽路1段311巷29號
 NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA
 TOWAN TAIPEI HSIEN, TAIWAN R. O. C.

TEL:
 (02) 2673 - 2512 - 6

FAX:
 886 - 2 - 26710294
 886 - 2 - 26736329

3.MATERIAL LIST.

NO/ITEM	MATERIAL	MAKER
1.CORE	ET-28 FERRITE CORE. A07	ACME.
2.BOBBIN	ET-28 .4 SECTIONS PBT-4115 HY-2805	CHANG CHUN PLASTICS CO.,LTD. UL NO.E59481 . HSIN YUNG PLASTIC INDUSTRIAL CO.,LTD.
3.BASE	ET-28 V. TYPE W / 4 PINS PHENOLIC / T375J HY-2804	CHANG CHUN PLASTICS CO.,LTD. UL NO.E59481 . HSIN YUNG PLASTIC INDUSTRIAL CO.,LTD.
4.WIRE	2UEW/N	TAI-I COPPER(GUAN ZHOU)CO.,LTD. UL NO.E85640 .
5.VARNISH	V1630FS	ELANTAS PDG INC.UL NO.E87039 .
6.SOLDER	Sn99.3/Cu0.7	ALPHA METALS TAIWAN INC CO.,LTD .

***RoHS COMPLIANT(無鉛制程)**

4.ELECTRICAL SPECIFICATION.

4-1.INDUCTANCE. P(1-4) 17mH MIN @ 1 KHZ 0.3V BY HP-4284A.
P(2-3) 17mH MIN

4-2.D.C.RESISTANCE. P(1-4) 0.3Ω MAX. BY GOM-801G.
P(2-3) 0.3Ω MAX.

4-3.HI-POT TEST.PRI TO SEC BY 600VAC @ 3mA 1SEC.BY GRI-50005T.
PRI.SEC TO CORE BY 600VAC @ 3mA 1SEC

CUSTOMER: R.C.S (烏克蘭)	CUSTOMER ISSUE: A	APPROVED BY: 劉 珍
-----------------------	-------------------	------------------

PART NO. ET28-02	LTE ISSUE: 0.0	CHECKED BY: 羅 芳
------------------	----------------	-----------------

DATE: 2010-10-27	PAGE: 2/3	DRAWN BY: 夏思平
------------------	-----------	---------------






力英電子股份有限公司
 LI TONE ELECTRONICS CO., LTD.
 臺北縣三峽鎮介壽路1段311巷29號
 NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA
 TOWAN TAIPEI HSIEN, TAIWAN R. O. C.

TEL:
(02) 2673 - 2512 - 6

FAX:
886 - 2 - 26710294
886 - 2 - 26736329

5.CONFIGURATIOIN & DIMENSION. (UNIT:mm)



*PIN1 WITH WHITE DOT.

*MARKING :

ET28-02
LTE YYWW

CUSTOMER: R.C.S (烏克蘭)	CUSTOMER ISSUE: A	APPROVED BY: 劉 珍
-----------------------	-------------------	------------------

PART NO. ET28-02	LTE ISSUE: 0.0	CHECKED BY: 羅 芳
------------------	----------------	-----------------

DATE: 2010-10-27	PAGE: 3/3	DRAWN BY: 夏思平
------------------	-----------	---------------



力英電子股份有限公司
LI TONE ELECTRONICS CO., LTD.
臺北縣三峽鎮介壽路1段311巷29號
NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA
TOWAN TAIPEI HSIEN, TAIWAN R. O. C.

TEL:
(02) 2673 - 2512 - 6
FAX:
886 - 2 - 26710294
886 - 2 - 26736329