# **PRODUCT SPECIFICATION**

Product name: Solar cell module Model: M-20W Product size: 450mm\*350mm

#### 1. Scope

This product specification book standardizes the size, performance and test method of the product as the basis of technical confirmation.

### 2. General Specification

- 1. Application: The product can be used in solar modules, solar power generation systems, solar energy application products and other fields.
- 2. The standard test conditions :AM1.5. 1000W/m². 25°C

#### 3. Main Material

Specification	450mm*350mm
Battery cell specifications	Monocrystalline 157mm*19.62mm*36pcs
Material	Ultra white cloth grain tempered glas s, PET, EVA, photovoltaic welding tape
Encapsulation way	Glass laminate package
Frame	Anodized aluminum alloy frame

#### 4. Product Parameters:

Pm	20W
Vmp	18V
Imp	1.11A
Voc	21.24V
Isc	1.24A
Maximum System Voltage	750V

## 5. Environmental conditions for use and storage:

1. Reserving environment:  $-20^{\circ}$ C —  $60^{\circ}$ C.

- 2. Outdoor environment with no shade under the sun.
- 3. Soldering temperature 370  $\pm\,5\,^\circ\!\!\mathrm{C}$  , welding time should not exceed 3 seconds.

#### 6. Points to note

- 1. Do not exceed the power range.
- 2. Avoid scratching the surface with hard objects during use.
- 3. Cannot bear bending force during transportation and assembly.
- 4. Do not contact with strong corrosive substances, if there is, should be cleaned immediately.
- 5. When connecting solar panels with electrical appliances, pay attention to whether the connection line is short-circuited, and whether the positive and negative poles are connected to reversing