

承認書

SPECIFICATION FOR APPROVAL

CUSTOMER : R.C.S(烏克蘭)
MODEL NAME : LINE FILTER
CUSTOMER P/N : LTE-UU9802
L.T.E. PARTNO. : E03-11095026-01
DATE : 2010.10.27

| 核 準 APPROVED | 校 對 CHECKED | 承 辦 ISSUED |
|---|---|---|
|  |  |  |


| 客 戶 承 認 FOR CUSTOMER APPROVAL | |
|----------------------------------|--------------|
| 簽 名 SIGNATURE | 日 期 DATE |
| | |




力英電子股份有限公司
Li Tone Electronics (L.T.E.) Co., Ltd
臺北縣三峽鎮介壽路1段311巷29號
No.29, Lane 311, Sec 1, JieSou Rd.
Sanhsia, Taipei, Taiwan 237
<http://www.LTE.com.tw>


TEL:+886-2-2673-2512
FAX:+886-2-2671-0294
+886-2-2671-9331
+886-2-8671-3701

1. SCHEMATICS.



2. WINDING SEQUENCE.



| | | | |
|---|--|-------------------|--|
| CUSTOMER: R.C.S(烏克蘭) | | CUSTOMER ISSUE: A | APPROVED BY: 劉 珍 |
| PART NO. LTE-UU9802 | | LTE ISSUE: 0.0 | CHECKED BY: 羅 芳 |
|  | | DATE: 2010-10-27 | PAGE: 1/3 |
| | | DRAWN BY: 夏思平 | |
| <p style="text-align: center;">力英電子股份有限公司 LI TONE ELECTRONICS CO., LTD. 臺北縣三峽鎮介壽路1段311巷29號 NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA TOWAN TAIPEI HSIEN, TAIWAN R. O. C.</p> | | | TEL: (02) 2673 - 2512 - 6 FAX: 886 - 2 - 26710294 886 - 2 - 26736329 |

3.MATERIAL LIST.

| NO/ITEM | MATERIAL | SUPPLIER |
|-----------|---|---|
| 1.CORE | UU-9.8 FERRITE CORE. A07 . HG-702. | ACME .HI-TECH |
| 2.BOBBIN | UU-9.8 V TYPE W/4PINS PHENOLIC / T375J HY-0902 SW-9.8A | CHANG CHUN PLASTICS CO.,LTD. UL NO.E59481(S). HSIN YUNG PLASTIC INDUSTRIAL CO.,LTD. SWARM BOBBIN INDUSTRIAL CO.,LTD. |
| 3.WIRE | UEW(2UEW)130℃ | TAI-I COPPER(GUAN ZHOU)CO.,LTD. UL NO.E85640 . |
| 4.TAPE | POLYESTER TAPE. #1350F-1. | MINNESOTA MINING & MFG CO. UL NO.E17385 . |
| 5.CLIP | UU-9.8 HIGH CARBON STEEL. | SHEN SHEN INDUSTRIAL CO.,LTD. |
| 6.VARNISH | V1630FS | ELANTAS PDG INC. UL NO.E87039. |
| 7.SOLDER | Sn99.3/Cu0.7 | ALPHA METALS TAIWAN INC CO.,LTD |

*RoHS COMPLIANT.(無鉛制程)

4.ELECTRICAL SPECIFICATIONS .

4-1.INDUCTANCE. P(2-1) 5mH MIN. @ 1KHz 0.25V BY CH3302.
P(3-4) 5mH MIN. @ 1KHz 0.25V

4-2.D.C. RESISTANCE. P(2-1) 1.7Ω MAX. BY GOM-801G

4-3.HI POT TEST.N1 TO N2 BY 500V 5mA 1SEC .BY GRI-50005T.
N1. N2 TO CORE BY 500V 5mA 1SEC.

CUSTOMER: R.C.S(烏克蘭)

CUSTOMER ISSUE: A

APPROVED BY: 劉 珍

PART NO. LTE-UU9802

LTE ISSUE: 0.0

CHECKED BY: 羅 芳



DATE: 2010-10-27

PAGE: 2/3




DRAWN BY: 夏思平

力英電子股份有限公司
LI TONE ELECTRONICS CO., LTD.
臺北縣三峽鎮介壽路1段311巷29號
NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA
TOWAN TAIPEI HSIEN, TAIWAN R. O. C.

TEL:
(02) 2673 - 2512 - 6

FAX:
886 - 2 - 26710294
886 - 2 - 26736329

5.CONFIGURATION & DIMENSION.(UNIT:mm)



*PIN1 WHIT WHITE DOT.

*MARKING:

LTE-UU9802

LTE YYWW

CUSTOMER: R.C.S(烏克蘭)

CUSTOMER ISSUE: A

APPROVED BY: 劉 珍

PART NO. LTE-UU9802

LTE ISSUE: 0.0

CHECKED BY: 羅 芳



DATE: 2010-10-27

PAGE: 3/3

DRAWN BY: 夏思平

力英電子股份有限公司
 LI TONE ELECTRONICS CO., LTD.
 臺北縣三峽鎮介壽路1段311巷29號
 NO. 29, LANE 311, JIE SOU RU., SEC 1. SANHSIA
 TOWAN TAIPEI HSIEN, TAIWAN R. O. C.

TEL:
 (02) 2673 - 2512 - 6

FAX:
 886 - 2 - 26710294
 886 - 2 - 26736329